





Electric			Date:	
	Invoice address:	Company:	C	
7				
		Contact person:		
8		Other deliv	very address:	
		Reference	:	
	Comments:	User weigh	nt:	
	Please send me an offer	 	address = Delivery address	
Standard equipment: Back height 550 mm, reinforced frame with electrical tilt and recline, main wheel 16" drum brake flexel, front wheel 8" 200 x 50 mm flexel, seat cushion Netti Sit and ergonomic backcushion Netti Stabil with 3D cover, electric leg rest with footboard angle adjustable, armrest height adjustable and removable with clothes protector in aluminium, pushhandles and anti-tip height adjustable and swingable.				
	Netti 450 T - Seat width		Seat depth	
<u> </u>	550 600 650 700 750		☐ 495 mm ☐ 570 mm	
□ 800 [850 900 950 1000 mm		520 mm	
iviux. cc	pacity: 450 kg			
= stan	dard equipment			
◯ Plea	se mark here FRAME			
Back hei	ght 550 mm			
	ght 670 mm (back extender + extended back cushior	1)		
	pox + remote control			
Electric t				
Electric				
	eg support			
	I device for different medical equipment			
	ate for universal device (additional level)			
Frame e	mounting brackets, incl. screws			







	MAIN WHEELS			
	Main wheel size 16" drum brakes incl. 300 mm height adjustable push handles			
	FRONT WHEELS			
	Front wheels: 8" 200 x 50 mm flexel			
	BACK CUSHION			
	Netti Stabil (side support upholstery 170 mm), 3D cover			
	Netti Super Stabil (side support upholstery 170 mm, reinforced), 3D cover			
	Side support stable left right			
	Upholstery for side support stable			
SEAT CUSHION				
	Netti Sit seat cushion, 3D Cover			
	Easy Care cover for seat and back unit, washable			
HEADREST & ACCESSORIES FOR HEADREST				
	Head rest C, large, square			
	Head rest A, with side support			
	Head rest B, small, oval			
	Headrest adjustment tube (horizontal) + 100 mm, length 250 mm			
	Headrest adjustment tube (horizontal) + 230 mm, length 380 mm			
	Headrest adjustment tube (vertical) + 100 mm, length 500 mm			
	Comfort cushion for head rest type C - removable			
	Easy Care cover for head rest type A, B, C - removable			
	Grey head rest cushion, large			
	ARM REST & ACCESSORIES FOR ARM REST			
	Height adjustable armrest, removable			
	Arm pads 420 X 80 mm			
	Clothes protector aluminum			
	Side upholstery, detachable 25 mm wide (reduces the SW with 50 mm)			
	Arm pads curved at the back 524 x 79 mm			
	Arm pads 445 x 70 mm			
	Arm pads 525 x 80 mm			
	Arm support hemiplegic, left (not possible in combination with tray)			
	Arm support hemiplegic, right (not possible in combination with tray)			
	Hemiplegic cushion			
	LEG REST AND ACCESSORIES			
	Electrical adjustable leg rests with automatic length adjustment, angle adjustable footboard and calf supports and knee			
	upholstery			
	Calf support bracket upholstery			
	Calf support upholstery extra soft			
	Footboard, adjustable			
	Foot box upholstered			
	Extra abduction for leg rests +50 mm			
Foot fixation ACCESSORIES FOR CUSHION AND SEAT				
ACCESSORIES FOR CUSHION AND SEAT				
	Incontinence cover for seat cushion Hip belt, with upholstery and car belt lock			
	LITIO DELL. WILLI ADDIOISTETY AND CAL DELLIOCK			



Cover variants:





H-belt, with upholstery and car belt lock					
H-belt attachment bar					
	Abduction block small, W: 80 x L: 140 x H: 80 mm				
	Abduction block medium, W: 110 x L: 150 x H: 80 mm				
	Abduction block large, W: 140 x L: 170 x H: 80 mm				
	Removable knee and thigh support	1 pcs. 2 pcs.			
	Back wedge	1 pcs. 2 pcs			
	VARIOUS ACCESSORIES				
	Push handles 300 mm, height adjustable and swingable				
	Push handles 500 mm, height adjustable and swingable				
	Tray reinforced - we suggest armpad 525 x 80 mm to secure more stability for the tray				
	Upholstery for tray - we suggest armpad 525 x 80 mm to	secure more stability for the tray			
	Intravenous rack				
Technical data: Seat width (SW):		500 – 1000 mm			
Seat	depths:	495 – 620 mm			
Seat height:					
Seat	height:	430 mm (from floor to seatplate)			
	height:	430 mm (from floor to seatplate) 550 mm standard			
Back	_				
Back Tilt (height:	550 mm standard			
Back Tilt (: Recli	height:	550 mm standard 12° backwards / 6° frontwards			
Back Tilt (: Recli Tota	height: seat): ne (back):	550 mm standard 12° backwards / 6° frontwards 40° backwards			
Back Tilt (: Recli Total	height: seat): ne (back): I width of the wheelchair:	550 mm standard 12° backwards / 6° frontwards 40° backwards Seat width + 200 mm			
Back Tilt (s Recli Total Total	height: seat): ne (back): I width of the wheelchair:	550 mm standard 12° backwards / 6° frontwards 40° backwards Seat width + 200 mm 870 mm without leg rest			
Back Tilt (: Recli Total Total Total Weig	height: seat): ne (back): I width of the wheelchair: I length: I height:	550 mm standard 12° backwards / 6° frontwards 40° backwards Seat width + 200 mm 870 mm without leg rest 1160 mm without head rest			
Back Tilt (s Recli Total Total Total Weig	height: seat): ne (back): I width of the wheelchair: I length: I height: tht of wheelchair:	550 mm standard 12° backwards / 6° frontwards 40° backwards Seat width + 200 mm 870 mm without leg rest 1160 mm without head rest 69 kg for SW 900 mm			

Stretchable & flexible 3D cover

Easy Care antibacterial cover, washable.





